SAFETY RULES

- 1. TREAT EVERY WEAPON AS IF IT WERE LOADED
- 2. NEVER POINT A WEAPON AT ANYTHING YOU DO NOT INTEND TO SHOOT
- 3. KEEP FINGER STRAIGHT AND OFF THE TRIGGER UNTIL YOU ARE READY TO FIRE
- 4. KEEP WEAPON ON SAFE UNTIL YOU INTEND TO FIRE









NEED PHOTO



ADMINISTRATIVE TRANSPORT



HOLSTER TRANSPORT



ALERT





READY



M9 SERVICE PISTOL CONDITION CODES

CONDITION 1: MAGAZINE INSERTED, SLIDE FORWARD, ROUND IN CHAMBER, SAFETY ON

CONDITION 2: NOT APPLICABLE

CONDITION 3: MAGAZINE INSERTED, SLIDE FORWARD, CHAMBER EMPTY, SAFETY ON

CONDITION 4: MAGAZINE REMOVED, SLIDE FORWARD, CHAMBER EMPTY, SAFETY ON

FILLING THE MAGAZINE



INDEXING THE MAGAZINE





SEATING THE MAGAZINE





GRASPING THE SLIDE TO MAKE READY





CHAMBER CHECK - PLACEMENT OF THE NON-FIRING HAND




CHAMBER CHECK




CHECKING THE ROUND INDICATOR



CATCHING THE EJECTED ROUND



UNLOAD, SHOW CLEAR



SHOW CLEAR TRANSFER TO THE RIGHT

NEED PHOTO

SHOW CLEAR TRANSFER – TO THE LEFT





SHOW CLEAR TRANSFER



CONDITION UNKNOWN TRANSFER - TO THE RIGHT





CONDITION UNKNOWN TRANSFER - TO THE LEFT





SHOOTER-INDUCED STOPPAGES WITH THE M9 PISTOL

- 1. The shooter fails to make ready.
- 2. The shooter fails to take the weapon off safe prior to firing.
- 3. The shooter engages the safety while firing.
- 4. The shooter engages the magazine release button while firing.
- 5. The shooter engages the slide stop while firing.
- 6. The shooter fails to reset the trigger.
- 7. The shooter fails to recognize the weapon has run dry and the slide has locked to the rear.

REMEDIAL ACTION - OBSERVING CHAMBER



REMEDIAL ACTION - ROUND IN MAGAZINE BUT NOT IN CHAMBER



REMEDIAL ACTION ROUND NOT BEING CHAMBERED





REMEDIAL ACTION TAP MAGAZINE AND RACK SLIDE





REMEDIAL ACTION - NO ROUND IN MAGAZINE OR CHAMBER

